



**SECTION IV - HEALTH HAZARD INFORMATION**

EFFECTS OF OVEREXPOSURE - Conditions to Avoid	
None normally expected. Upon prolonged contact, may cause temporary eye discomfort.	
Inhalation could cause respiratory irritation.	
THRESHOLD LIMIT VALUE	
Mineral Oil Mist: 5mg/m; Paraffin: 2mg/m; Propellant: 1000ppm	
PRIMARY ROUTES OF ENTRY Inhalation <input checked="" type="checkbox"/> Skin Contact <input checked="" type="checkbox"/> Other (specify) Inhalation	
EMERGENCY FIRST AID PROCEDURES:	
SKIN CONTACT:	Wash with soap and water.
EYE CONTACT:	BREATHING:
Flush with water for 15 minutes.	Remove to fresh air.
INGESTION:	
Do not induce vomiting. Consult physician or local poison control center.	

**SECTION V - REACTIVITY DATA**

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	Avoid prolonged storage at temperatures exceeding 120 F.
INCOMPATIBILITY (materials to avoid)			
Avoid strong oxidizers.			
HAZARDOUS DECOMPOSITION PRODUCTS:			
Excessive heat and burning may release oxides of carbon and nitrogen, fluoride, hydrogen chloride and phosgene gas.			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	None

**SECTION VI - SPILL AND LEAK PROCEDURES**

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED	
Wipe up, shovel or vacuum spilled material. Clean up spills immediately as they can be dangerously slippery.	
WASTE DISPOSAL METHOD	
Do not incinerate. Comply with Federal, state and local regulations for solid landfill.	
CERCLA (Superfund) REPORTABLE QUANTITY (in lbs)	
None Required	
RCRA HAZARDOUS WASTE NO. (40CFR 261.33)	
None Required	
VOLATILE ORGANIC COMPOUND (VOC) (as packaged, minus water)	
5% by weight	
<sup>3</sup> Theoretical ____ lb/gal	N/A
<sup>4</sup> Analytical ____ lb/gal	N/A

**SECTION VII - PERSONAL PROTECTION INFORMATION**

RESPIRATORY PROTECTION (specify type)				
None normally required.				
VENTILATION	LOCAL EXHAUST (Specify Rate)	See below.	SPECIAL	None
	MECHANICAL (General) (Specify Rate)	Recommended in closed areas.	OTHER	None
PROTECTIVE GLOVES (specify type)		EYE PROTECTION (specify type)		
None normally needed - Neoprene if necessary		Safety glasses or splash goggles.		
OTHER PROTECTIVE EQUIPMENT				
Provide local exhaust to insure TLV and PEL limits are not exceeded				


**SECTION VIII - SPECIAL PRECAUTIONS**

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING	
Store at temperatures between 40 - 120° F. Avoid freezing. Do not puncture or incinerate cans.	
OTHER PRECAUTIONS	
Keep away from children, infants and pets. Do not dispose of cans without first expelling all contents. Contents under pressure.	

**SECTION IX - ADDITIONAL INFORMATION**

If material is used in extreme heat (>120° F), prolonged and repeated exposure could pose a risk of pulmonary disease. Exposure below TLV (5mg/m) appears to be without risk.	
<b>This product contains the following materials that are subject to the reporting requirements of Section 313 of EPCRA:</b>	
CAS # 4080-31-3, 1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride, 0.2%	
N/A = Not Applicable, N.E. = None Established	

THIS MATERIAL SAFETY DATA SHEET PREPARED BY:

NAME	James R. MacMurdo	SIGNATURE  
TITLE	Director, Corporate Quality Assurance	
DATE	07/17/2009	